

Metal & Rubber materials we work with, translated to the norm you work with!



## **Pipe coupling**

### **DIN Material Number**

MPC code				J
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	1.4301	1.4301	1.4301	EPDM/NBR/ SILICONE/VITON
W5	1.4401	1.4401	1.4401	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-

#### **DIN/EN Material**

MPC code				N
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	X5CrNi 18 10	X5CrNi 18 10	X5CrNi 18 10	EPDM/NBR/ SILICONE/VITON
W5	X5CrNiMo 17 12 2	X5CrNiMo 17 12 2	X5CrNiMo 17 12 2	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-



Metal & Rubber materials we work with, translated to the norm you work with!



# Pipe coupling

### AISI/SAE

MPC code				N
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	304	304	304	EPDM/NBR/ SILICONE/VITON
W5	316	316	316	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-

#### **UNS**

MPC code				Ą
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	
W4	S30400	S30400	S30400	EPDM/NBR/ SILICONE/VITON
W5	S31600	S31600	S31600	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-



Metal & Rubber materials we work with, translated to the norm you work with!



## **Pipe coupling**

#### <u>SS</u>

MPC code				J
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	2332	2332	2332	EPDM/NBR/ SILICONE/VITON
W5	2347	2347	2347	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-

#### **AFNOR**

MPC code				Ą
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	Z6CN18 09	Z6CN18 09	Z6CN18 09	EPDM/NBR/ SILICONE/VITON
W5	Z7CND17 12 02	Z7CND17 12 02	Z7CND17 12 02	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-			-



Metal & Rubber materials we work with, translated to the norm you work with!



### Pipe coupling

**BS** 

MPC code				Ą
W1	-	-	-	-
W2	-	-	-	-
W3	-	-	-	-
W4	304S15	304S15	304S15	EPDM/NBR/ SILICONE/VITON
W5	316S31	316S31	316S31	EPDM/NBR/ SILICONE/VITON
AS1	-	-	-	-
AS2	-	-	-	-
AS3	-	-	-	-
AS4	-	-	-	-

The materials listed in this overview describe those which are currently used by MPC. It serves only as a reference for the user and in no way implies that MPC is required to use these listed materials. As raw material prices move and new technologies emerge, MPC reserves the right to change raw materials and processes used in our products as long as MPC can demonstrate that the overall clamp performance and corrosion resistance has not been impaired.